



UK KIOSKS



GRP CABINETS & ENCLOSURES

PRODUCT CATALOGUE 2024 - 2025

 **MADE IN
THE UK**

Version 3

UKKIOSKS

UK LEADERS IN GRP ELECTRICAL CABINETS & ENCLOSURES

UK Kiosks range of GRP electrical cabinets and housings are handmade to the highest quality. They are suitable for housing any electrical, switchgear or pumping equipment. From small meter box cabinets to walk-in housings and large buildings, take a look at our extensive range of over 60 standard products plus any size and style bespoke made unit made to your exact specifications.




Next day delivery available on ALL standard range products*



High quality handmade product



Half hour fire rated & IP55 dust and water protection



Manufactured to conform to BS476: part 7 class 2. & BS6399 wind and snow loading



Quality stainless steel fittings



Neoprene door seals, resistant to UV and frost



Three year warranty on all our products



Short lead times on all products



Call us today 01386 555000

*Subject to stock


GRP ELECTRICAL CABINETS & ENCLOSURES

High quality handmade cabinets, manufactured in the UK. All UK Kiosks GRP cabinets come with quality stainless steel hinges and have lockable doors. Available in a range of over 60 standard sizes.


We produce three types of models in our GRP Cabinets & Enclosures:



Single door cabinets
(S)



Double door cabinets
(D)



Walk-in enclosures
(W)

AVAILABLE IN BRITISH RACING GREEN, HOLLY BUSH GREEN AND MOSS GREEN





MODEL: **SE1**

Dimensions	W (mm)	D (mm)	H (mm)
External	400	x 320	x 670
Clear Internal	360	x 260	x 570
Clear Door Open	355	x N/A	x 570
Weight	Delivery Rate		
20kg	H		



MODEL: **SE2**

Dimensions	W (mm)	D (mm)	H (mm)
External	530	x 245	x 800
Clear Internal	495	x 175	x 790
Clear Door Open	450	x N/A	x 770
Weight	Delivery Rate		
25kg Approx.	H		



MODEL: **SA5**

Dimensions	W (mm)	D (mm)	H (mm)
External	660	x 390	x 930
Clear Internal	650	x 270	x 920
Clear Door Open	460	x N/A	x 755
Weight	Delivery Rate		
28kg	F		



MODEL: **SN3**

Dimensions	W (mm)	D (mm)	H (mm)
External	750	x 700	x 1250
Clear Internal	740	x 590	x 1200
Clear Door Open	650	x N/A	x 1070
Weight	Delivery Rate		
36kg Approx.	H		



MODEL: **SK4**

Dimensions	W (mm)	D (mm)	H (mm)
External	750	x 450	x 1260
Clear Internal	645	x 300	x 1200
Clear Door Open	545	x N/A	x 1040
Weight	Delivery Rate		
55kg	H		



MODEL: **SN4**

Dimensions	W (mm)	D (mm)	H (mm)
External	750	x 450	x 1250
Clear Internal	740	x 320	x 1200
Clear Door Open	650	x N/A	x 1070
Weight	Delivery Rate		
36kg Approx.	H		



MODEL: **SF5**

Dimensions	W (mm)	D (mm)	H (mm)
External	650	x 450	x 990
Clear Internal	610	x 310	x 930
Clear Door Open	510	x N/A	x 815
Weight	Delivery Rate		
28kg	H		



MODEL: **SK5**

Dimensions	W (mm)	D (mm)	H (mm)
External	670	x 340	x 940
Clear Internal	560	x 560	x 860
Clear Door Open	455	x N/A	x 705
Weight	Delivery Rate		
50kg	F		



MODEL: **SN1**

Dimensions	W (mm)	D (mm)	H (mm)
External	560	x 300	x 870
Clear Internal	500	x 190	x 800
Clear Door Open	420	x N/A	x 645
Weight	Delivery Rate		
25kg	H		



MODEL: **SN5**

Dimensions	W (mm)	D (mm)	H (mm)
External	560	x 450	x 870
Clear Internal	500	x 330	x 800
Clear Door Open	420	x N/A	x 645
Weight	Delivery Rate		
28kg	H		



MODEL: **ST5**

Dimensions	W (mm)	D (mm)	H (mm)
External	670	x 380	x 940
Clear Internal	650	x 280	x 930
Clear Door Open	485	x N/A	x 715
Weight	Delivery Rate		
32kg	F		



MODEL: **SE5**

Dimensions	W (mm)	D (mm)	H (mm)
External	605	x 320	x 930
Clear Internal	595	x 225	x 830
Clear Door Open	540	x N/A	x 800
Weight	Delivery Rate		
30kg Approx	H		



MODEL: **SF9**

Dimensions	W (mm)	D (mm)	H (mm)
External	945	x 400	x 1150
Clear Internal	935	x 350	x 1140
Clear Door Open	710	x N/A	x 980
Weight	Delivery Rate		
50kg	F		



MODEL: **SK9**

Dimensions	W (mm)	D (mm)	H (mm)
External	940	x 470	x 1160
Clear Internal	840	x 370	x 1090
Clear Door Open	640	x N/A	x 915
Weight	Delivery Rate		
60kg	F		



MODEL: **ST9**

Dimensions	W (mm)	D (mm)	H (mm)
External	935	x 600	x 1160
Clear Internal	925	x 500	x 1150
Clear Door Open	705	x N/A	x 895
Weight	Delivery Rate		
48kg	F		



MODEL: **SE4**

Dimensions	W (mm)	D (mm)	H (mm)
External	800	x 320	x 1154
Clear Internal	790	x 230	x 1110
Clear Door Open	735	x N/A	x 1015
Weight	Delivery Rate		
45kg Approx.	F		



MODEL: **SE6**

Dimensions	W (mm)	D (mm)	H (mm)
External	800	x 640	x 1154
Clear Internal	790	x 550	x 1110
Clear Door Open	735	x N/A	x 1015
Weight	Delivery Rate		
75kg	F		



MODEL: **SN2**

Dimensions	W (mm)	D (mm)	H (mm)
External	1010	x 325	x 845
Clear Internal	990	x 230	x 800
Clear Door Open	860	x N/A	x 645
Weight	Delivery Rate		
40kg	H		



MODEL: **SN6**

Dimensions	W (mm)	D (mm)	H (mm)
External	1010	x 400	x 845
Clear Internal	990	x 330	x 800
Clear Door Open	860	x N/A	x 645
Weight	Delivery Rate		
40kg	H		



MODEL: **DK1**

Dimensions	W (mm)	D (mm)	H (mm)
External	1000	x 500	x 1250
Clear Internal	900	x 370	x 1190
Clear Door Open	820	x N/A	x 1080
Weight	Delivery Rate		
65kg	F		



MODEL: **DT1**

Dimensions	W (mm)	D (mm)	H (mm)
External	1065	x 455	x 1270
Clear Internal	1055	x 350	x 1260
Clear Door Open	875	x N/A	x 875
Weight	Delivery Rate		
51kg	F		



MODEL: **DT8**

Dimensions	W (mm)	D (mm)	H (mm)
External	1065	x 650	x 1270
Clear Internal	1055	x 550	x 1260
Clear Door Open	875	x N/A	x 875
Weight	Delivery Rate		
75kg	2F		



MODEL: **DE1**

Dimensions	W (mm)	D (mm)	H (mm)
External	1060	x 320	x 1115
Clear Internal	1020	x 235	x 1070
Clear Door Open	1000	x N/A	x 775
Weight	Delivery Rate		
50kg Approx.	F		



MODEL: **DK2**

Dimensions	W (mm)	D (mm)	H (mm)
External	1250	x 500	x 1260
Clear Internal	1150	x 370	x 1190
Clear Door Open	1045	x N/A	x 1035
Weight	Delivery Rate		
75kg	F		



MODEL: **DT2**

Dimensions	W (mm)	D (mm)	H (mm)
External	1300	x 400	x 1250
Clear Internal	1290	x 310	x 1240
Clear Door Open	1090	x N/A	x 950
Weight	Delivery Rate		
61kg	F		



MODEL: **DN2**

Dimensions	W (mm)	D (mm)	H (mm)
External	1250	x 550	x 1290
Clear Internal	1200	x 480	x 1240
Clear Door Open	1090	x N/A	x 1090
Weight	Delivery Rate		
61kg Approx.	F		



MODEL: **DE2**

Dimensions	W (mm)	D (mm)	H (mm)
External	1130	x 320	x 1460
Clear Internal	1125	x 230	x 1380
Clear Door Open	1065	x N/A	x 1020
Weight	Delivery Rate		
50kg Approx.	F		



MODEL: **DK3**

Dimensions	W (mm)	D (mm)	H (mm)
External	1500	x 650	x 1505
Clear Internal	1400	x 560	x 1440
Clear Door Open	1300	x N/A	x 1300
Weight	Delivery Rate		
90kg	2F		



MODEL: **DT3**

Dimensions	W (mm)	D (mm)	H (mm)
External	1400	x 660	x 1515
Clear Internal	1390	x 550	x 1505
Clear Door Open	1170	x N/A	x 1270
Weight	Delivery Rate		
78kg	2F		



MODEL: **DN3**

Dimensions	W (mm)	D (mm)	H (mm)
External	1500	x 700	x 1300
Clear Internal	1490	x 600	x 1250
Clear Door Open	1250	x N/A	x 1025
Weight	Delivery Rate		
80kg Approx.	2F		



MODEL: **DA3**

Dimensions	W (mm)	D (mm)	H (mm)
External	1500	x 700	x 1500
Clear Internal	1470	x 510	x 1480
Clear Door Open	1345	x N/A	x 1355
Weight	Delivery Rate		
78kg	2F		



MODEL: **DN3-1**

Dimensions	W (mm)	D (mm)	H (mm)
External	1500	x 700	x 1550
Clear Internal	1490	x 660	x 1510
Clear Door Open	1250	x N/A	x 1025
Weight	Delivery Rate		
80kg	2F		



MODEL: **DN8**

Dimensions	W (mm)	D (mm)	H (mm)
External	1500	x 450	x 1300
Clear Internal	1490	x 400	x 1250
Clear Door Open	1250	x N/A	x 1025
Weight	Delivery Rate		
80kg Approx.	2F		



MODEL: **DN8-1**

Dimensions	W (mm)	D (mm)	H (mm)
External	1500	x 450	x 1550
Clear Internal	1490	x 400	x 1500
Clear Door Open	1250	x N/A	x 1025
Weight	Delivery Rate		
80kg	2F		



MODEL: **DK4**

Dimensions	W (mm)	D (mm)	H (mm)
External	1750	x 750	x 1690
Clear Internal	1650	x 625	x 1620
Clear Door Open	1560	x N/A	x 1465
Weight	Delivery Rate		
105kg	2F		



MODEL: **DN4**

Dimensions	W (mm)	D (mm)	H (mm)
External	1750	x 750	x 1750
Clear Internal	1740	x 600	x 1650
Clear Door Open	1570	x N/A	x 1450
Weight	Delivery Rate		
96kg	2F		



MODEL: **DT4**

Dimensions	W (mm)	D (mm)	H (mm)
External	1700	x 800	x 1600
Clear Internal	1690	x 700	x 1590
Clear Door Open	1480	x N/A	x 1425
Weight	Delivery Rate		
92kg	2F		



MODEL: **DK5**

Dimensions	W (mm)	D (mm)	H (mm)
External	2000	x 850	x 1700
Clear Internal	1900	x 720	x 1620
Clear Door Open	1800	x N/A	x 1410
Weight	Delivery Rate		
120kg	2F		



MODEL: **DT5**

Dimensions	W (mm)	D (mm)	H (mm)
External	2020	x 800	x 1585
Clear Internal	2010	x 700	x 1575
Clear Door Open	1730	x N/A	x 1300
Weight	Delivery Rate		
105kg	2F		



MODEL: **DN6**

Dimensions	W (mm)	D (mm)	H (mm)
External	1120	x 1000	x 2080
Clear Internal	1100	x 800	x 2000
Clear Door Open	900	x N/A	x 1800
Weight	Delivery Rate		
110kg	2F		



MODEL: **DN7**

Dimensions	W (mm)	D (mm)	H (mm)
External	1120	x 600	x 2080
Clear Internal	1100	x 400	x 2000
Clear Door Open	900	x N/A	x 1800
Weight	Delivery Rate		
100kg	2F		



MODEL: **DT6**

Dimensions	W (mm)	D (mm)	H (mm)
External	1200	x 1000	x 2000
Clear Internal	1190	x 900	x 1990
Clear Door Open	900	x N/A	x 1800
Weight	Delivery Rate		
110kg	F		



MODEL: **WK1**

Dimensions	W (mm)	D (mm)	H (mm)
External	2000	x 500	x 2080
Clear Internal	1900	x 380	x 2020
Clear Door Open	1700	x N/A	x 1750
Weight	Delivery Rate		
140kg	2F		



MODEL: **WN1**

Dimensions	W (mm)	D (mm)	H (mm)
External	2010	x 505	x 2075
Clear Internal	1960	x 405	x 1990
Clear Door Open	1730	x N/A	x 1780
Weight	Delivery Rate		
110kg	2F		



MODEL: **WT1**

Dimensions	W (mm)	D (mm)	H (mm)
External	2000	x 500	x 2000
Clear Internal	1900	x 365	x 1990
Clear Door Open	1760	x N/A	x 1760
Weight	Delivery Rate		
105kg	2F		



MODEL: **WK2**

Dimensions	W (mm)	D (mm)	H (mm)
External	2000	1000	2080
Clear Internal	1880	880	2020
Clear Door Open	1700	N/A	1750
Weight	Delivery Rate		
240kg	2F		



MODEL: **WN2**

Dimensions	W (mm)	D (mm)	H (mm)
External	2010	1005	2075
Clear Internal	1960	905	1960
Clear Door Open	1780	N/A	1730
Weight	Delivery Rate		
100kg	2F		



MODEL: **WT2**

Dimensions	W (mm)	D (mm)	H (mm)
External	2000	1000	2000
Clear Internal	1950	865	2000
Clear Door Open	1760	N/A	1760
Weight	Delivery Rate		
115kg	2F		



MODEL: **WK3**

Dimensions	W (mm)	D (mm)	H (mm)
External	2000	1500	2080
Clear Internal	1880	1380	2020
Clear Door Open	1700	N/A	1750
Weight	Delivery Rate		
115kg	2F		



MODEL: **WN3**

Dimensions	W (mm)	D (mm)	H (mm)
External	2010	1500	2080
Clear Internal	1960	1380	2020
Clear Door Open	1780	N/A	1750
Weight	Delivery Rate		
125kg	4F		



MODEL: **WT3**

Dimensions	W (mm)	D (mm)	H (mm)
External	2000	1500	2000
Clear Internal	1900	1365	1990
Clear Door Open	1750	N/A	1810
Weight	Delivery Rate		
125kg	4F		



MODEL: **WK4**

Dimensions	W (mm)	D (mm)	H (mm)
External	2000	2000	2080
Clear Internal	1880	1880	2020
Clear Door Open	1700	N/A	1750
Weight	Delivery Rate		
140kg	4F		



MODEL: **WN4**

Dimensions	W (mm)	D (mm)	H (mm)
External	2010	2000	2090
Clear Internal	1960	1865	2000
Clear Door Open	1750	N/A	1810
Weight	Delivery Rate		
140kg	4F		



MODEL: **WT4**

Dimensions	W (mm)	D (mm)	H (mm)
External	2000	2000	2000
Clear Internal	1900	1865	1990
Clear Door Open	1760	N/A	1760
Weight	Delivery Rate		
140kg	4F		



TECHNICAL SPECIFICATION

Standard Features:

- > High quality handmade product.
- > Finished in:
 - > **T-range** – Semi-gloss finish – Holly Bush Green - BS 14-C-39, Nimbus Grey – BS 10-A-07.
 - > **E-range** – Satin finish – Moss Green – RAL 6005, Light Grey – RAL 7035.
 - > **N-range** – Semi-gloss finish – British Racing Green - BS 227, Goosewing Grey – BS 10-A-05.
 - > **K-range** – Semi-gloss finish – Moss Green - RAL 6005.
- > UV stabilised external gel coat with semi-gloss finish.
- > Half hour fire rated polyester resin.
- > IP55 Dust and water protection.
- > Pre-mounted backboard (optional).
- > Roof rain drip system ensures 100% roof water tightness.
- > Stainless steel hinges (316 grade).
- > Integral bolt down flanges (100mm).
- > Cylinder key lockable latch with aluminium pull finger or padlock hasp and staple (other locking mechanisms available).
- > Neoprene door seals, resistant to UV and frost.
- > Encapsulated timber and steel reinforcement.
- > Maintenance free units.
- > Additional items for bespoke fitting, such as vents, electrical connections, etc, please contact us to discuss your requirements.
- > Membrane or load bearing floors available.
- > We also manufacture bespoke GRP buildings, housings and cabinets.

DELIVERY INFORMATION

- > Stock items dispatched same day as order on 48 -72 hour service
- > Next day delivery available.

GENERAL INFORMATION

- > You can contact our sales and technical teams on **01386 555000** for further product information, bespoke fittings and bespoke GRP housings.

BESPOKE RANGE

- > We provide a bespoke build service for all non-standard sizes.
- > Large bespoke housings also built to order.



BASTION RANGE

LARGE HOUSINGS BUILT TO ANY BESPOKE SIZE

Our Bastion range of GRP Cabinets & Enclosure has endless possibilities. Our talented production team can produce any size of enclosure you could possibly need. With optional extras including venting, hatches, electric packages, heating and much more. Just contact us for details.

- > High quality handmade product.
- > Available in textured or semi-gloss finishes.
- > Manufactured to any size.
- > Full on-site installation service available.



PROTECT YOUR SITE WITH A CHELTENHAM RANGE CABIN

Our site huts are available for hire or purchase and delivered country wide.



Available for hire or purchase



Secure



Insulated for comfort



Electrical Package with Heater



Opening windows



Easy to transport



Four sizes available



Short lead times



UK KIOSKS

 **MADE IN THE UK**

T: 01386 555000 | **E:** sales@ukkiosks.com | **W:** www.ukkiosks.com

A: UK Kiosks Limited, 26-28 Kempton Road, Keytec 7 Business Park, Pershore, Worcestershire, WR10 2TA